



SMALL/SLIM FIT PROTECTION



BOBDALEGLOVES.COM

THE RIGHT SOLUTION FOR THE TASK AT HAND



SMALL SIZES & SLIM FIT SOLUTIONS

ENSURING PROPER FIT FOR ALL SIZES OF HANDS

WHEN IT COMES TO SAFETY, ONE SIZE DOES NOT ALWAYS FIT ALL. THAT'S WHY BDG® IS BIG ON PROVIDING THOSE CUSTOMERS WITH SMALLER OR SLENDER HANDS THE PROPER FITTING WORK GLOVES FOR THE TASK AT HAND, RIGHT DOWN TO OUR SMALLEST X3S SIZED GLOVES.

SLIM FIT

ABRASION

99-1-9880 XS-X2L (6-11)

PU Coated Nylon

- + Nylon shell
- + Polyurethane palm coating w/smooth finish
- + Elastic knit wrist w/hemmed cuff

EN 388
4131X



99-1-9606 X2S-X3L (5-12)

Nitrile Coated 15 ga. Nylon/Spandex

- + 15 ga. nylong/nylon shell
- + Foam nitrile palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff

ANSI/ISEA 105
4
EN 388
4131



99-1-9605 X2S-X3L (5-12)

Nitrile Coated 15 ga. Nylon/Spandex

- + 15 ga. nylong/nylon shell
- + Foam nitrile palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff

ANSI
HEAT
CONDUCTIVE
4131X

EN 388
4131X

EN 407
X1XXXX



99-1-9865 XS-X2L (6-11)

PU Coated 18 ga. Nylon

- + 18 ga. nylong/nylon shell
- + Polyurethane palm coating w/smooth finish
- + Elastic knit wrist w/hemmed cuff

EN 388
3121



SLIM FIT

COLD



30-9-428A ONE SIZE

Lined Split Cowhide Fitter w/Safety Cuff

- + Split cowhide palm, index finger & fingertips
- + Cotton backhand w/split leather knuckle strap
- + Heavy acrylic pile lining
- + Rubberized safety cuff



40-9-173TFLW ONE SIZE

Lined Grain Cowhide Fitter w/Safety Cuff

- + Grain cowhide palm, index finger & fingertips
- + Cotton backhand w/grain leather knuckle strap
- + C100 Thinsulate™ insulation
- + Rubberized safety cuff



30-9-473TFLW ONE SIZE

Lined Split Cowhide Fitter w/Safety Cuff

- + Split cowhide palm, index finger & fingertips
- + Cotton backhand w/split leather knuckle strap
- + C100 Thinsulate™ insulation
- + Rubberized safety cuff



40-9-6066 ONE SIZE

Lined Grain Cowhide Fitter w/Safety Cuff

- + Grain cowhide palm, index finger & fingertips
- + Cotton backhand w/grain leather knuckle strap
- + Heavy acrylic pile lining
- + Rubberized safety cuff



20-9-1610 XS-X2L

Lined Grain Goatskin Driver

- + Grain goatskin palm & backhand
- + C100 Thinsulate™ insulation
- + Slip-on cuff
- + Shirred elastic wrist



20-9-1600 XS-X3L

Lined Grain Goatskin Driver

- + Grain goatskin palm & backhand
- + Cut-resistant Kevlar® lining
- + C100 Thinsulate™ insulation
- + Slip-on cuff



99-9-9791 XS-X2L (6-11)

Lined Nitrile Coated HPPE

- + 13 ga. HPPE outer shell, 7 ga. HPPE inner shell
- + Nitrile palm coating w/textured finish
- + Acrylic lining
- + TPR backhand impact protection
- + Elastic knit wrist w/hemmed cuff



20-9-5005 XS-X3L

Lined Grain Goatskin Driver

- + Grain goatskin palm & backhand
- + Cut-resistant lining
- + C100 Thinsulate™ insulation
- + TPR backhand impact protection
- + 5" split cowhide gauntlet cuff



64-9-AG-7-W ONE SIZE

Lined Split Cowhide Welder w/5" Cuff

- + Split cowhide palm & backhand
- + Full heather lining
- + 5" split cowhide gauntlet cuff w/gore
- + Gunn cut w/straight thumb



**64-1-888W ONE SIZE****Split Cowhide Welder w/5" Cuff**

- + Split cowhide palm & backhand
- + Flannel palm lining
- + Heather backhand lining
- + 5" split cowhide gauntlet cuff

**20-1-1610 XS-X2L****Grain Goatskin Driver**

- + Grain goatskin palm & backhand
- + Slip-on cuff
- + Shirred elastic wrist
- + Gunn cut w/keystone thumb

**50-9-5011 XS-X3L****Lined Grain Goatskin Mitt w/5" Cuff**

- + Grain goatskin palm & backhand
- + Cut-resistant lining
- + C150 Thinsulate™ insulation
- + TPR backhand impact protection

**50-9-5010 XS-X3L****Lined Grain Goatskin Mitt w/5" Cuff**

- + Grain goatskin palm & backhand
- + Cut-resistant lining
- + C150 Thinsulate™ insulation
- + TPR backhand impact protection

**SLIM FIT CUT****99-1-9802 X2S-X3L (5-12)****PU Coated Nylon**

- + Nylon shell
- + Polyurethane palm coating w/smooth finish
- + Elastic knit wrist w/hemmed cuff

**99-1-9430 X3S-X2L (4-11)****PU Coated 21 ga. HPPE**

- + 21 ga. HPPE shell
- + Polyurethane palm coating w/smooth finish
- + Elastic knit wrist w/hemmed cuff

**99-1-9623 XS-X2L (6-11)****Double Nitrile Coated 13 ga. HPPE**

- + 13 ga. HPPE shell
- + Double dipped nitrile palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff

**99-1-9627 XS-X2L (6-11)****Nitrile Coated 13 ga. HPPE**

- + 13 ga. HPPE shell
- + Nitrile palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff

**99-1-9770 X2S-X2L (5-11)****PU Coated 18 ga. HPPE**

- + 18 ga. HPPE shell
- + Polyurethane palm coating w/smooth finish
- + Elastic knit wrist w/hemmed cuff

**99-1-9780 XS-X3L (6-12)****PU Coated 13 ga. HPPE**

- + 13 ga. HPPE shell
- + Polyurethane palm coating w/smooth finish
- + Elastic knit wrist w/hemmed cuff



**99-1-9626 X2S-X4L (5-13)****Nitrile Coated 13 ga. HPPE**

- + 13 ga. HPPE shell
- + Nitrile palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff

ANSI/ISEA 105 ANSI / ISEA 138 FDA


CONDUCTIVE

**99-1-9772 X2S-X3L (5-12)****NBR Coated 18 ga. HPPE**

- + 18 ga. HPPE/fiberglass shell
- + Foam NBR palm coating w/smooth finish
- + Elastic knit wrist w/hemmed cuff

ANSI/ISEA 105 ANSI / ISEA 138 EN 388

CONDUCTIVE

**99-1-9791 XS-X2L (6-11)****Nitrile Coated HPPE**

- + HPPE shell
- + Nitrile palm coating w/textured finish
- + TPR backhand impact protection
- + Elastic knit wrist w/hemmed cuff

ANSI/ISEA 105 ANSI / ISEA 138

**20-1-5005 XS-X3L****Grain Goatskin Glove w/5" Cuff**

- + Grain goatskin palm & backhand
- + Cut-resistant lining
- + TPR backhand impact protection
- + 5" split cowhide gauntlet cuff

ANSI/ISEA 105 ANSI / ISEA 138

**20-1-1600 XS-X2L****Grain Goatskin Driver**

- + Grain goatskin palm & backhand
- + Cut-resistant Kevlar® lining
- + Slip-on cuff
- + Shirred elastic wrist

ANSI/ISEA 105 ANSI / ISEA 138 EN 388 NFPA 70E

**60-1-1818KV XS-X2L****Grain Cowhide Welder w/5" Cuff**

- + Grain cowhide palm, thumb & index finger
- + Split cowhide backhand
- + Cut-resistant lining
- + 5" split cowhide gauntlet cuff

ANSI/ISEA 105 ANSI / ISEA 138

CONDUCTIVE

**20-1-10750 XS-X3L****Grain Goatskin Driver**

- + Oil-resistant grain goatskin palm & backhand
- + Cut-resistant lining
- + TPR backhand impact protection
- + Slip-on cuff
- + Shirred elastic wrist

ANSI/ISEA 105 ANSI / ISEA 138

CONDUCTIVE

**20-1-5000 XS-X3L****Grain Goatskin Driver**

- + Grain goatskin palm & backhand
- + Cut-resistant lining
- + TPR backhand impact protection
- + Slip-on cuff

ANSI/ISEA 105 ANSI / ISEA 138

**20-1-5005 XS-X3L****Grain Goatskin Glove w/5" Cuff**


- + Grain goatskin palm & backhand
- + Cut-resistant lining
- + TPR backhand impact protection
- + 5" split cowhide gauntlet cuff

ANSI/ISEA 105 ANSI / ISEA 138

**99-1-9631 XS-X3L (6-12)****Nitrile Coated 18 ga. HPPE**

- + 18 ga. Nylon/HPPE/steel wire shell
- + Nitrile palm coating w/textured finish
- + TPR backhand impact protection
- + Elastic knit wrist w/hemmed cuff

ANSI/ISEA 105 ANSI / ISEA 138



SLIM FIT**21 GAUGE: NBR COATED****99-1-9510 XS-X2L (6-11)****NBR Coated 21 ga. Nylon**

- + 21 ga. nylon shell
- + Foam NBR palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff
- + Reinforced thumb saddle

ANSI/ISEA 105
A1
X X**99-1-9520 XS-X2L (6-11)****NBR Coated 21 ga. Nylon**

- + 21 ga. HPPE/polyester/glass shell
- + Foam NBR palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff
- + Reinforced thumb saddle

ANSI/ISEA 105
A2
3 3**99-1-9530 XS-X3L (6-12)****NBR Coated 21 ga. Nylon**

- + 21 ga. HPPE/polyester/steel shell
- + Foam NBR palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff
- + Reinforced thumb saddle

ANSI/ISEA 105
A3
3 3**99-1-9540 XS-X2L (6-11)****NBR Coated 21 ga. Nylon**

- + 21 ga. HPPE/polyester/steel shell
- + Foam NBR palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff
- + Reinforced thumb saddle

ANSI/ISEA 105
A4
3 3**99-1-9550 XS-X3L (6-12)****NBR Coated 21 ga. HPPE**

- + 21 ga. HPPE/polyester/steel shell
- + Foam NBR palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff
- + Reinforced thumb saddle

ANSI/ISEA 105
A5
3 3**99-1-9560 XS-X2L (6-11)****NBR Coated 21 ga. HPPE**

- + 21 ga. HPPE/polyester/steel shell
- + Foam NBR palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff
- + Reinforced thumb saddle

ANSI/ISEA 105
A6
3 3**99-1-9570 XS-X3L (6-12)****NBR Coated 21 ga. HPPE**

- + 21 ga. HPPE/polyester/steel shell
- + Foam NBR palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff
- + Reinforced thumb saddle

ANSI/ISEA 105
A7
3 3**99-1-9580 XS-X2L (6-11)****NBR Coated 21 ga. HPPE**

- + 21 ga. HPPE/polyester/steel shell
- + Foam NBR palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff
- + Reinforced thumb saddle

ANSI/ISEA 105
A8
3 3**99-1-9590 XS-X2L (6-11)****NBR Coated 21 ga. HPPE**

- + 21 ga. HPPE/polyester/steel shell
- + Foam NBR palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff
- + Reinforced thumb saddle

ANSI/ISEA 105
A9
3 3

SLIM FIT**21 GAUGE: PU COATED****99-1-9511 XS-X2L (6-11)****PU Coated 21 ga. Nylon**

- + 21 ga. nylon shell
- + Polyurethane palm coating
- + Elastic knit wrist w/hemmed cuff
- + Reinforced thumb saddle

ANSI/ISEA 105
A1
X X**99-1-9521 XS-X2L (6-11)****PU Coated 21 ga. Nylon**

- + 21 ga. HPPE/polyester/glass shell
- + Polyurethane palm coating
- + Elastic knit wrist w/hemmed cuff
- + Reinforced thumb saddle

ANSI/ISEA 105
A2
3 3**99-1-9531 XS-X2L (6-11)****PU Coated 21 ga. Nylon**

- + 21 ga. HPPE/polyester/steel shell
- + Polyurethane palm coating
- + Elastic knit wrist w/hemmed cuff
- + Reinforced thumb saddle

ANSI/ISEA 105
A3
3 3**99-1-9541 XS-X2L (6-11)****PU Coated 21 ga. Nylon**

- + 21 ga. HPPE/polyester/steel shell
- + Polyurethane palm coating
- + Elastic knit wrist w/hemmed cuff
- + Reinforced thumb saddle

ANSI/ISEA 105
A4
3 3**99-1-9551 XS-X3L (6-12)****PU Coated 21 ga. HPPE**

- + 21 ga. HPPE/polyester/steel shell
- + Polyurethane palm coating
- + Elastic knit wrist w/hemmed cuff
- + Reinforced thumb saddle

ANSI/ISEA 105
A5
3 3**99-1-9561 XS-X2L (6-11)****PU Coated 21 ga. HPPE**

- + 21 ga. HPPE/polyester/steel shell
- + Polyurethane palm coating
- + Elastic knit wrist w/hemmed cuff
- + Reinforced thumb saddle

ANSI/ISEA 105
A6
3 3**99-1-9571 XS-X2L (6-11)****PU Coated 21 ga. HPPE**

- + 21 ga. HPPE/polyester/steel shell
- + Polyurethane palm coating
- + Elastic knit wrist w/hemmed cuff
- + Reinforced thumb saddle

ANSI/ISEA 105
A7
3 3**99-1-9581 XS-X3L (6-12)****PU Coated 21 ga. HPPE**

- + 21 ga. HPPE/polyester/steel shell
- + Polyurethane palm coating
- + Elastic knit wrist w/hemmed cuff
- + Reinforced thumb saddle

ANSI/ISEA 105
A8
3 3**99-1-9591 XS-X2L (6-11)****PU Coated 21 ga. HPPE**

- + 21 ga. HPPE/polyester/steel shell
- + Polyurethane palm coating
- + Elastic knit wrist w/hemmed cuff
- + Reinforced thumb saddle

ANSI/ISEA 105
A9
3 3

SLIM FIT**ONE SIZE****10-1-K8W ONE SIZE****Cotton Canvas Glove**

- + 8 oz. cotton canvas knit
- + Elastic knit wrist
- + Clute cut w/wing thumb

**40-9-173W ONE SIZE****Lined Grain Cowhide Fitter w/Safety Cuff**


- + Grain cowhide palm, index finger & fingertips
- + Cotton backhand w/grain leather knuckle strap
- + Cotton fleece lining
- + Rubberized safety cuff

**40-1-1511W ONE SIZE****Grain Cowhide Fitter w/Safety Cuff**

- + Grain cowhide palm, index finger & fingertips
- + Cotton backhand w/grain leather knuckle strap
- + Fleece palm lining
- + Rubberized safety cuff

**40-1-287W ONE SIZE****Grain Cowhide Fitter w/Safety Cuff**

- + Grain cowhide palm, index finger & fingertips
- + Hi-viz nylon backhand w/grain leather knuckle strap & reflective strip
- + Fleece palm lining
- + Rubberized safety cuff

**BDG**
BOB DALE GLOVES

Information contained in this document is subject to change without notice. As Bob Dale Gloves and Imports Ltd. cannot control or anticipate the conditions under which this product may be used, each user should review the information in specific context of the planned use. To the maximum extent permitted by law, Bob Dale Gloves and Imports Ltd., and/or its affiliates, employees or representatives will not be responsible for damages of any nature resulting from the use or reliance upon the information contained in this data sheet. No express or implied warranties are given other than those implied mandatory by law.

COPYRIGHT © 2024 - Bob Dale Gloves & Imports Ltd.

Revision Date: January 23, 2025